

MEMORANDUM

Date: April 12, 2021

To: Proposal Preparers

From: Heath Eddy, AICP, Planning Manager
City Development Department Staff

Subject: **Questions and Answers for Consultants**

As provided in the Request for Proposals dated March 16, 2021, staff is responding to various questions submitted by potential proposal responders. These are below, along with staff's responses.

1. How many copies of the proposal should be submitted?

The City requests five (5) copies of the proposal, plus an electronic version for additional distribution as needed.

2. Would the City be amenable to the consultant taking the lead on facilitating some of the public outreach efforts (Section IV.C)?

The City is aware that consultants may desire to have more involvement in the process. Facilitating input would be helpful if targeted. The City is open to recommendations as part of a proposal, though since this isn't a part of the initial scope any consultant including such work product should price it separately as an optional add-on.

3. What specifically is the City looking to address regarding non-conforming uses (Section IV.B.viii)?

The existing non-conforming use sections reference replacement cost as a marker for whether or not to permit non-conformities to continue. The City is looking for alternatives to this restriction that permit greater flexibility.

4. What are the "targeted, high priority updates" the City wishes to develop and adopt early in the process (Section IV.G.i.a)?

City staff have identified several interim amendments that we will be pursuing as a means to address existing problems with the UDO in a relatively straight-forward way. These include (1) greater flexibility for food truck permitting; (2) impervious coverage as a replacement to the existing "maximum lot coverage" standard; and (3) a tree-cutting permit to formalize the process and reduce after-the-fact enforcement. This list is not necessarily all-inclusive.

a. Will the consultant be assisting the City in any way with the "targeted, high priority updates"?

This is not anticipated at this time.

